

TO Utility Range

■ IPS

p4

■ IPC

p5

■ COMO

p6

CODE: IPS

DESCRIPTION

Surface mounted IP65 compact bulkhead polycarbonate luminaire.

Available Version:




1x16W 2D

1x28W 2D

Emergency version only available in 28W version

SPECIFICATION

- Polycarbonate body (white/black)
- Polycarbonate diffuser (Prismatic/Opal)



Fully wired	
TOIPS16DBPL	Black prismatic
TOIPS16DWPL	White prismatic
TOIPS16DBOL	Black opal
TOIPS16DWOL	White prismatic
TOIPS28DBPL	Black prismatic
TOIPS28DWPL	White prismatic
TOIPS28DBOL	Black opal
TOIPS28DWOL	White prismatic

CODE: IPC

DESCRIPTION

Surface mounted IP65 compact bulkhead with tamper proof screws and polycarbonate diffuser.

Available Version:


1x28W 2D

1x38W 2D


Emergency version also available

SPECIFICATION

- Aluminium cast body
- Prismatic/opal polycarbonate
- Anti ligature
- Tamper proof screw



Fully wired	
TOIPC28DBPL	Black prismatic
TOIPC28DBOL	Black opal
TOIPC38DBPL	Black prismatic
TOIPC38DBOL	Black opal
TOIPC28DWPL	White prismatic
TOIPC28DWOL	White opal
TOIPC38DWPL	White prismatic
TOIPC38DWOL	White opal
TOIPC28DSPL	Silver prismatic
TOIPC28DSOL	Silver opal
TOIPC38DSPL	Silver prismatic
TOIPC38DSOL	Silver opal
TOIPC28DZBPL	Black prismatic
TOIPC28DZBOL	Black opal
TOIPC38DZBPL	Black prismatic
TOIPC38DZBOL	Black opal
TOIPC28DZWPL	White prismatic
TOIPC28DZWOL	White opal
TOIPC38DZWPL	White prismatic
TOIPC38DZWOL	White opal
TOIPC28DZSPL	Silver prismatic
TOIPC28DZSOL	Silver opal
TOIPC38DZSPL	Silver prismatic
TOIPC38DZSOL	Silver opal



Tamper proof screw

CODE: **COMO**

DESCRIPTION

Available Version:

1x16W 2D


1x28W 2D

1x38W 2D

Emergency version only available in
16/28W version

SPECIFICATION

- Polycarbonate base
- Polycarbonate diffuser (Opal)
- High frequency ballast & lamp
- Anti ligature



Fully wired

TOCOM16HLF

TOCOM28HLF

TOCOM38HLF